

20.4 m 2023 Jeanneau 65 Yacht



Boat Details

Make:	Jeanneau	Class:	Racer/Cruiser	Crew Cabins:	1
Model:	65 Yacht	Hull Material:	Fiberglass	Guest Heads:	3
Year:	2023	Drive Type:	Shaft Drive	Crew Heads:	1
Length:	20 m 45 cm	Beam:	5 m 51 cm	Fuel Type:	Diesel
Price:		Boat Location:	Sorrento, IT	Max Draft:	2 m 50 cm
Condition:	Used	Guest Cabins:	3		

Description

Wonderful sail for long cruises: **Jeanneau Yachts 65**, flagship of the range with its comfort, its equipment and its internal and external spaces. With just 1 season experienced and a truly complete optional equipment that allows you to experience the boat for long periods on board. Fully automated sail system thanks to electric winches and jib furler. XXL-sized cockpit with a hard top to enjoy even on the hottest sunny days. Inside, a layout with 3 double cabins all with private bathrooms, a large dinette served by a truly well-equipped kitchen. The crew cabin for 2 people with bathroom located in the bow is also generous in space.

Displayed price + VAT on the remaining lease.

Complete new Teak On the deck June 2025.

Complete photo shoot available upon request.

Information & Features

2023 Volvo Penta D4-175 (Engine 1)

Engine Type:	Inboard	Drive Type:	Shaft Drive	Propeller Material:	Bronze
Fuel Type:	Diesel	Power:	175 hp		
Engine Hours:	285	Propeller Type:	4 Blade		

Dimensions

LOA:	20 m 70 cm	Max Draft:	2 m 50 cm
LWL:	18 m		
Beam:	5 m 51 cm		

Weights

Dry Weight:	32,300 kg
-------------	------------------

Sail Areas

Total:	425 sqm
--------	----------------

Seating

Seating Capacity:	12
Max Passengers:	12
Liferaft Capacity:	12

Tanks

Fuel:	1 x 825 l GRP
Fresh Water:	1 x 1,000 l Plastic
Holding:	1 x 350 l Plastic

Accommodations

Guest Cabins:	3	Crew Heads:	1
Crew Cabins:	1		
Guest Heads:	3		

Other

Warranty: **1 Year**
Hull Shape: **Monohull**
Fractional Shares: **1**

Flag Of Registry: **Italy**
Designer: **Jeanneau studio design**
Builder: **Jeanneau**

Additional Equipment

- Garage
- Touch Screen

Covers

- Bimini Top
- Cockpit Cover
- Spray Hood

Electrical Equipment

- Generator: ONAN 18kw
- Inverter: Mastervolt 12v/3000VA
- Shore Power Inlet

Electronics

- | | | |
|--------------------|---------------------|----------------------------|
| - Autopilot | - Flat Screen TV | - Radio |
| - CD Player | - GPS | - Repeater(s) |
| - Cockpit Speakers | - Log-Speedometer | - TV Set |
| - Compass | - Navigation Center | - VHF |
| - Computer | - Plotter | - Wind Speed and Direction |
| - DVD Player | - Radar | |
| - Depthsounder | - Radar Detector | |

Inside Equipment

- | | | |
|---|--------------------------------------|-------------------|
| - Air Conditioning: Cruisair 100000 BTU | - Fresh Water Maker: Idromar 120lt/h | - Sea Water Pump |
| - Battery Charger | - Heating: 11000w | - Stern Thruster |
| - Bow Thruster | - Hot Water | - Washing Machine |
| - Deep Freezer | - Manual Bilge Pump | |
| - Dishwasher: Miele | - Microwave Oven | |
| - Electric Bilge Pump | - Oven | |
| - Electric Head | - Refrigerator | |

Outside Equipment/Extras

- | | |
|-------------------------------|------------------------|
| - Cockpit Cushions | - Swimming Ladder |
| - Cockpit Shower | - Teak Cockpit |
| - Cockpit Table | - Teak Sidedecks |
| - Electric Winch | - Tender: 160cm arimar |
| - Hydraulic Gangway: Opacmare | |
| - Lifteraft: Eurovinil 8 pax | |
| - Radar Reflector | |

Rigging

- Steering Wheel

Sails

- Asymmetric Spinnaker: Code 0
- Furling Genoa
- Furling Mainsail
- Gennaker/Cruising Spinnaker
- Spinnaker
- Trisail

Standard equipment list

EXTERIOR:

Construction

- Vacuum infused hull, sandwich balsa / polyester. Monolithic lamination in keel area. Barrier coating used to guard against osmosis.
- Inner-mould structure glued and laminated to the hull
- Vacuum infused deck with balsa / polyester sandwich
- L-shaped cast iron keel
- Rudder build with foam core and GRP skin; having a stainless steel rudder shaft

Sails

- Furling mainsail 88 m² / 947 sq ft
- Self-tacking jib 80 m² / 861 sq ft

Mast and rigging

- Keel-stepped, anodised aluminium in-mast furling mast, fractional rig built by Sparcraft
- Three levels of swept back spreaders
- Anodised aluminium boom
- Electric genoa furler with operating switch on the cockpit console
- Manual rigid boom vang
- Standing rigging made of discontinuous Dyform stainless steel cables
- Running rigging: halyards and sheets in Dyneema, other lines and sheets in polyester
- Harken® 50.2 winch at the bottom of the mast dedicated to the halyards

Sailing features

- Spinlock® line stoppers
- Harken® self tacking track on the deck in front of the mast
- Harken® turning blocks
- 2 Harken® 60.2 ST electrical «rewind» winches
- 2 Harken® 70.2 ST winches

Deck

- Stainless steel bow and stern pulpits with double lifelines
- Stainless steel fixed bow fitting with anchor roller, on polyester bowsprit
- Anchor windlass 3 000 W
- Anchor locker accessible by the deck
- Stainless steel mooring cleats (8)
- Sliding and retractable companionway hatch and door, made with plexiglass
- Opening deck hatches (15)
- Lateral coachroof windows
- Main chainplate in stainless steel at bow
- Folding padeyes on deck and deck edge
- GRP arch

Cockpit

- 2 composite steering consoles
- Double leather-covered stainless steel steering wheels
- Windlass control with chain counter
- Cockpit seats
- 2 Teak cockpit tables with fixed legs
- 2 chainplates for double backstays
- Lifteraft locker L 43 x H 56 x I 104 cm (1'4" x 1'8" x 3'4")
- Halyard compartments (2)
- Gas locker (1 large bottle or 2 small)
- Large Teak aft fold-down swim platform accessible by retractable companionway
- Access to the garage and cockpit storage
- Transversal storage garage for tender
- Teak inlay on bench seats, steps, cockpit floor and transom platform
- Teak handrails
- Shore power socket

Forward sail locker

- Access via lockable T70 deck hatch
- Shelving along hull sides for storage
- Access to bow thruster and technical areas
- LED lighting

INTERIOR

Saloon

- U-shape saloon on starboard (7 guests)
- «Luxe» sofa on portside
- Upper lockers above settees
- Hinged storage compartments under seatings
- Saloon table
- Pneumatically-assisted hinged central floorboards
- LED lighting with dimmer
- LED courtesy lighting
- Fixed hull ports (4)
- Opening low-profile hatches (4)

Galley

- Longside galley to port of the companionway with Corian® counter top
- Stainless steel sink with covers
- Chromed mixer tap
- Foot pump for fresh or sea water
- Drawers with shock absorbers and storage units
- Sliding waste bin
- 3 burners gaz and stainless steel oven
- Microwave oven with grill function
- Refrigeration compartment: 157 L fridge / Freezer: 144 L - 24 V / 230V
- Hood above oven, exhaust pipe connected to exterior
- Stainless steel handrails with leather pads
- Large and fixed hull port
- Opening flush hatch
- LED lighting

Chart table

- Ergonomic and seaworthy seat
- Chart table with top opening storage
- Upper storage compartment
- LED reading light on flexible tube
- Navigation and level control screens
- USB plugs and 220 V / 110 V plugs
- Opening flush hatch

Front cabin

Owner's stateroom forward

- Double berth (2,05 x 1,80 m / 6'8" x 5'10")
- Sofa on port side
- Large, double hanging locker with drawers (6)
- Upper storage lockers with assisted opening (3)
- Front storage drawers (2)
- Storage drawers under berth (2)
- LED reading lights and lighting
- Bedside tables
- An office / vanity area
- Fixed hull ports with aviation shades (2)
- Opening deck hatches (4)
- En-suite toilet / shower room with opening deck hatches (2)

VIP cabin

- Double berth (2,05 x 1,80 m / 6'8" x 5'10")
- Hanging locker with storage drawers (3)
- Bedside table
- LED reading lights and lighting
- Indirect LED lighting
- Fixed hull port with aviation shade
- En-suite toilet / shower room with air extractor

Aft starboard guest cabin

- Double berth (2,05 x 1,60 m / 6'8" x 5'2")
- Sofa seat along hull
- Hanging locker with storage drawers (3)
- LED reading lights and lighting
- Bedside table
- Fixed hull port with aviation shade
- En-suite toilet / shower room with air extractor

TECHNICAL EQUIPMENTS

Electric

- Onan generator 17.5 kW 220 V 1500 RPM
- 2000 VA inverter
- Main electric panel at the bottom of

the companionway

- Switches for domestic systems
- USB and 220 V / 110 V plugs
- Digital display: AC voltage, battery monitoring, DC Voltage level, amperage consumption meter, fuel and water selectors, fuel transfer system

- House battery bank (420 Ah / 24 V)

Dryfit

- Battery charger 60 Ah / 24 V
- Engine battery bank (120 Ah / 12 V)

Dryfit

- Battery charger 25 Ah / 12 V
- Two engine alternators: 115 Ah / 12V and 110 Ah / 24 V

- Dimmer switches
- LED lightings
- Fusion reader and exterior speakers
- Bose interior speakers
- Ship Control
- SEANAPPS connected technology:

allows you to monitor the condition of the boat and receive alerts and maintenance recommendations via the associated mobile application.

Depending on the boat's configuration, SEANAPPS collects safety indicators (GPS position, battery status, bilge level, engine status), navigation data (distance travelled, speed, depth), and comfort information (tank levels, cabin temperature and humidity).

Motorization

- VOLVO® D4-175 Shaft Drive

175 HP - 132 kW

- Sound insulation
- GRP engine support
- 4-blade propeller
- Roto moulded exhaust mixer and stainless steel exhaust fitting on hull
- Extractor fans located in engine room
- Ventilation ducting vents on coaming
- Capacité fuel capacity of 825 L : s/s tank of 500 L + réserve plastic tank of 325 L

- Inline fuel / water separator
- Fuel gauge at electrical panel
- Tunnel mounted bow thruster

Plumbing

- Fresh water system with highpressure 24 V pump (36 L / min or 9 US gal / min), inline filter and accumulator tank
- Fresh water shore connection
- 3 rotomoulded tank (1 000 L / 265 US gal)
- Tank gauge integrated into display panel
- Tank manifold with selector valves
- 80 L / 21 US gal hot water heater
- Hot and cold cockpit shower
- Raw and waste waters
- Collector system at each head compartment
- 3 electric marine toilets on fresh water
- 3 rotomoulded holding tank (264 L / 70 US gal)
- White PCV hosing
- Bilge drainage
- Electric bilge pump / switch at electrical panel
- Dual-action manual bilge pump located in the cockpit
- Electric bilge pump in forward sail locker

Disclaimer

The Company publishes the details of this vessel in good faith and therefore cannot endorse or guarantee the accuracy of such information.

Disclaimer

The Company publishes the details of this vessel in good faith and cannot therefore endorse or guarantee the accuracy of such information.



