

An aerial photograph of a large body of water, likely a lake or fjord, filled with numerous small, dark, forested islands. The sun is low on the horizon to the right, casting a warm, orange and yellow glow across the sky and reflecting on the water. The overall scene is serene and scenic.

PREDATOR 74



PRINCIPAL
CHARACTERISTICS

Classification

CE

Length overall – (incl. platform)
22.82m, 74'10"

Beam – (maximum)
5.38m, 17'8"

Draft – (@ full load incl. props)
1.83m, 6'0"

Displacement – (@ half load)
45,300kg, 99,868lb

Fuel capacity
4,800 litres, 1268 US gal.

Fresh water capacity
800 litres, 211 US gal.

Black water capacity
185 litres, 49 US gal

Accommodation
Up to 8 guests & up to 2 crew members

Propulsion
Twin fixed-pitch submerged propellers
in semi-recessed tunnels

Engine options
Up to 3,800PS (total)

Fuel options
Diesel

Generators – standard
1 x 19kW @ 50Hz 230v single phase (Euro)
1 x 21.5kW @ 60Hz 120/240v single phase (US)

Maximum speed
Up to 40 knots

Cruising speed
Up to 30 knots

Range @ 10 knots
Up to 330 nautical miles

STANDARD
SPECIFICATIONS

1 Construction

Hand-laid GRP
Gel coat including stripes
Vinylester skin coat with powderbound mat
Stitched multi-axial reinforced single-skin bottom
Balsa-cored hull topsides
PVC foam-cored deck and superstructure
Hull stiffened with longitudinal stringers supported by
transverse bulkheads and floors

2 Deck

Fittings all in stainless steel
8 x stainless steel deck cleats
Pulpit and cockpit rails
Stainless steel fendering with rubber insert
Curved safety glass windscreen
Stainless steel bow roller with anchor stop
Stainless steel bow plate
Delta anchor and 60m chain (galvanised)
Electric winch and capstan with deck and Interior
helm controls
Chain locker/fender stowage
Fender tie bar under anchor locker lid
Fore deck coach-roof storage lockers
Bow sunbather
Bow waterproof speakers
Forward facing seating group with optional table
Fuel fillers port and starboard
Fresh water filler
IMCO navigation lights
3 x Pantograph windscreen wipers and washers
Garage for tender
Ensign staff and socket

3 Bathing Platform

Hydraulic lifting platform
Teak-laid bathing platform and steps
Hot and cold swimming shower
Fresh water marina connection
Dockside AC shore power connection
Stainless steel swimming ladder

4 Aft Cockpit

Self-draining
Teak-laid cockpit decking
Stern safety door
Cockpit waterproof speakers
Wetbar sink with hot and cold water, cool box, ice maker,
locker and griddle
Upholstered seating around folding cockpit table
Large stern sunbather
Lockers beneath seating
Overhead cockpit lights 24v
Low-level courtesy lights 24v
Engine room access hatch
Boat hook

5 Helm Console

Opening glazed sunroof
Side access door
Twin helm seats
Navigation console with chart area
Hydraulic power steering
Leather rimmed steering wheel
Analogue engine instrumentation
Chart plotter with GPS
Radar open scanner
Autopilot
Speed and depth instrumentation
VHF radio with DSC
Rudder indicator
Monitoring for Water and Fuel
Generator controls
Trim tab controls
Single-lever electronic engine controls
Magnetic compass
Waterproof plug and socket and USB
Horn
Windscreen wipers and washers
Glass holders
Hand-held fire extinguisher

6 Deck Saloon

Saloon seating group with folding dining table
Seating or console unit option opposite
Raised observation seating next to helm
Television 55" on fall and rise system
Blu-ray player and sound bar
Overhead lighting LED 24v
Stainless steel sliding and drop door to cockpit
Air conditioning
Double AC sockets
Wood flooring
Choice of interior finishes and veneers
Scatter cushions

7 Galley

Sink and drainer
4-ring ceramic touch-control hob and extractor fan
Electric refrigerator
Electric freezer
Microwave convection oven
Hot and cold water
Rubbish bin
Cupboard and drawer storage
8 place crockery set
8 place cutlery set
2 x double AC sockets
Hand-held fire extinguisher
First aid kit
Wood flooring

8 Forward Stateroom

Double berth
Storage beneath
Drawer in base-end
2 x reading lights 24v
Outboard shelving and cupboards
Overhead bedside cupboards
Walk in hanging wardrobe
Overhead lights LED 24v
Opening portholes with mosquito screens and blinds
Deck hatch with blind and mosquito screen
2 x double AC sockets
Door to shower room
Fitted carpet
Air conditioning
40" television and sound bar

9 Forward En Suite Shower Room

Washbasin
Taps and accessories
Hot and cold water supply
Separate shower compartment
Electric toilet
Extractor fan
Mirrored vanity unit
Shelved cupboard
Toothbrush and glass holder
Soap dispenser
Towel ring and towels
Overhead lights
Opening porthole with mosquito screen and blind
Razor socket 240/110v

10 Starboard Guest Cabin

2 x single berths
Under-berth storage
2 x reading lights 24v
Hanging wardrobe
Overhead lighting LED 24v
Opening porthole with mosquito screen and blinds
Double AC socket
Fitted carpet
Air conditioning
22" television with amp and speakers

11 Starboard En Suite Shower Room

Washbasin
Taps and accessories
Hot and cold water supply
Separate shower compartment
Electric toilet
Extractor fan
Mirrored vanity unit
Shelved cupboard
Toothbrush and glass holder
Soap dispenser
Towel ring and towels

STANDARD
SPECIFICATIONS... CONTINUED

Overhead lights LED
Opening porthole with mosquito screen and blind
Razor socket 240/110v

12 Master Aft Stateroom

Double berth
Cupboard and drawer stowage
2 x reading lights 24v
Bedside drawers
Walk-in wardrobe
Overhead lights LED 24v
2 x large windows with opening portholes,
mosquito screens and blinds
Two double AC sockets
Door to shower room
Fitted carpet
Two seats with table
Air conditioning
40" television with Blu-ray player and sound bar

13 Aft En Suite Shower Room

Washbasin
Taps and accessories
Hot and cold water supply
Separate shower compartment
Electric toilet
Extractor fan
Mirrored vanity unit
Shelved cupboard
Toothbrush and glass holder
Soap dispenser
Towel ring and towels
Overhead lights LED
Opening porthole with mosquito screen and blind
Razor socket 240/110v

14 Crew Cabin

Entrance door from rear cockpit
Two single berths
Wardrobe
Storage locker
Opening porthole with mosquito screen
Overhead lights LED 24v
Reading lights 24v
Double AC socket
Air conditioning
Separate shower room with hot and cold water
Electric toilet and holding tank
Shaver socket 240/110v

15 Electrical System

19kW 50Hz (21.5 kW 60Hz USA) generator with underwater
silent exhaust and sound shield
AC dockside connection
Galvanic isolator
24v and 12v DC electrical system with
full circuit breaker protection

8 x engine batteries 24v circuit
6 x domestic batteries 24v circuit
Alternator split charging system
Remote battery switches controlled from locker in cockpit
Battery charger for 24v circuits
Water heater
AC electrical sockets throughout the boat
24v hand light and cable

16 Engine Compartment and Ancillaries

Soundproofing throughout
Fuel filters/water separators to engines
Fuel filters/water separators to generators
Automatic bilge and flood pumps with high-level alarms
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water inlets
Power steering – hydraulic control steering
Lifting platform, garage door and trim tabs
hydraulic control unit
Air intakes fitted with emergency shutdown flaps
(automatically operated)
Air extraction fans (AC) fitted with butterfly
shutdown dampers
Exhaust gas temperature sensor
LED lights 12v
Engine room fire extinguishing system (FM200)
1 x AC 220v socket
1 x 24v socket
Portable CO2 fire extinguisher
Inspection lamp

17 Underwater Gear

Bow thruster – Electric 24v
Seawater strainers – nickel-plated bronze
Full cathodic bonding system to aluminium anodes
Hydraulic trim tabs – stainless steel
Propeller shafts --- Temet 25
High performance rudders – AB2
P-brackets – NAB nickel aluminium bronze c/w
water lubricated bearing
Self-aligning shaft seal including spare seal
5-blade AB2 bronze propellers

18 Systems

Hydraulic power steering
Electric toilet system with integral macerator (24v)
Toilets discharging to black water tank
Black water tank discharging to dockside or overboard
Fresh water tank with electric sending unit
Fuel tank with electric sending unit
Water pressure system (24v)
Washbasins, showers and air conditioning fan coils
to drain to grey water tank
Grey water tank discharging overboard
Self-contained and split gas air conditioning system
(reverse cycle) AC

Bilge pumping system (24v)
Manual/automatic fire extinguishing system combined with
engines, generators and fans shutdown
Auxiliary hydraulics for trim tabs and platform (24v)

19 Miscellaneous

Toolkit
Boat hook
4 x mooring ropes
8 x fenders
6 sets towels

Key Optional Extras – (Refer to separate list for
full options range)
Retractable electric awning
Teak side decks
Hydraulic gangway
Hydraulic bow and stern thrusters
Fin stabilisers

Disclaimer

**Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect the boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of Contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist Impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only, should not be relied upon, and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.*